

Formatted Alignments

FL Dog Cath Protein Met-Stop
PR-39 cDNA Translation
1137 full length
cramp full length
Goat Cath-P82018 Bactenecin 5

```

      10      20      30
METQR  D P S L G R W S L L L L L G L V P A I A
METQR  A N L C L G R V S W L L L L L G L V P A I A
M K L Q R N G H S L G R W S L L L L L G L V P A I A
M Q F Q R D V P S L G R W S L L L L L G L V P A I A
METQR  G A L S L G R W S L L L L L G L V P A I A
METQR  S S L G R W S L L L L L G L V P A I A

```

FL Dog Cath Protein Met-Stop
PR-39 cDNA Translation
1137 full length
cramp full length
Goat Cath-P82018 Bactenecin 5

```

      40      50      60
R A L S Y R E A V L R A V D N G F N Q R S S E A N L Y R L L
Q A L S Y R E A V L R A V D N G F N Q R S S E A N L Y R L L
Q A L S Y R E A V L R A V D N G F N Q R S S E A N L Y R L L
- T P - - - - - D F Q L T - - - - -
Q A L S Y R E A V L R A V D N G F N Q R S S E A N L Y R L L
Q A L S Y R E A V L R A V D N G F N Q R S S E A N L Y R L L

```

FL Dog Cath Protein Met-Stop
PR-39 cDNA Translation
1137 full length
cramp full length
Goat Cath-P82018 Bactenecin 5

```

      70      80      90
L D P P D E D P T P K P V S F T V K E T V C P R T T
L D P P D E D P T P K P V S F T V K E T V C P R T T
L D P P D E D P T P K P V S F T V K E T V C P R T T
L D P P D E D P T P K P V S F T V K E T V C P R T T
L D P P D E D P T P K P V S F T V K E T V C P R T T
L D P P D E D P T P K P V S F T V K E T V C P R T T

```

FL Dog Cath Protein Met-Stop
PR-39 cDNA Translation
1137 full length
cramp full length
Goat Cath-P82018 Bactenecin 5

```

      100     110     120
Q Q P P E C D F K E N G L V K Q C G T V T L N P S
Q Q P P E C D F K E N G L V K Q C G T V T L N P S
Q Q P P E C D F K E N G L V K Q C G T V T L N P S
Q Q P P E C D F K E N G L V K Q C G T V T L N P S
Q Q P P E C D F K E N G L V K Q C G T V T L N P S
Q Q P P E C D F K E N G L V K Q C G T V T L N P S

```

FL Dog Cath Protein Met-Stop
PR-39 cDNA Translation
1137 full length
cramp full length
Goat Cath-P82018 Bactenecin 5

```

      130     140     150
F D I S C N E P G Q V R R P P P R P P F N
F D I S C N E P G Q V R R P P P R P P F N
F D I S C N E P G Q V R R P P P R P P F N
F D I S C N E P G Q V R R P P P R P P F N
F D I S C N E P G Q V R R P P P R P P F N
F D I S C N E P G Q V R R P P P R P P F N

```


FL Dog Cath Protein Met-Stop
PR-39 cDNA Translation
1137 full length
cramp full length
Goat Cath-P82018 Bactenecin 5

```

      160     170     180
K I G R I P P P R I P P G P P R F P P F P G K
K I G R I P P P R I P P G P P R F P P F P G K
K I G R I P P P R I P P G P P R F P P F P G K
K I G R I P P P R I P P G P P R F P P F P G K
K I G R I P P P R I P P G P P R F P P F P G K
K I G R I P P P R I P P G P P R F P P F P G K


```

FIG. 1

FIG. 2


Staph aureus
32 μ M LL-37
20% TSB
10% FCS
pH 7.4

FIG. 3



Staph aureus
32 μ M LL-37
20% TSB
150 mM NaCl
10% FCS


FIG. 4



Staph aureus
20% TSB
NO NaCl
No FCS


--- 0mM NaHCO3
— 50mM NaHCO3

FIG. 5




Staph aureus
pH 7.4
20% TSB
150 mM NaCl
10% FCS

FIG. 6



Cramp at 16 μ M
20% TSB
no NaCl or FCS
pH 7.4

FIG. 7



e. coli inner membrane permeability
no NaCL, FCS
pH 7.4
data are OD 420 with antibiotic/no antibiotic

FIG. 8

Effect of EF on the Inhibitory Activity of Various Antimicrobial Peptides on Staph Aureus
(+150mM NaCl and 10% FCS)




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15



LL37 blocks LPS-induced chemokine release from
Human Dendritic cells




FIG. 16

Mouse LL37 homolog (Cramp) blocks LPS-induced chemokine release from Mouse Dendritic cells




FIG. 17

CRAMP inhibits antigen presentation in vitro




FIG. 18A

Collaboration with R Granstein

CRAMP inhibits antigen presentation in vivo




FIG. 18B

CRAMP inhibits antigen presentation in vivo




FIG. 18C

Identification of cathelicidin peptides on the normal skin surface




FIG. 19

Processing of cathelicidin peptides on the normal skin surface




FIG. 20

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.